

1. This is a sample block of text designed to test indexing with the `glossaries` package. To test only `\index` and `theindex` environment, just use `testidx` instead of `testidx-glossaries`. Alternatively, use `\tstidxvoid` to switch back to the original `testidx` behaviour. This sample text is provided to help test the layout of the `index` (or `glossary`) and the indexing applications, such as `makeindex` or `xindy`, that may be used with the `glossaries` package. This example text is just filler (produced using `\testidx` provided by the `testidx` package) to pad out the document with instances of `\index` interspersed throughout. You can find out more information from the `testidx` user manual, which can be accessed using the `texdoc` application.

2. The `testidx-glossaries` package uses `\gls` (or `\glspl`) unless no text should be displayed when indexing occurs (in which case just `\glsadd` is used). This test package doesn't make any modifications to `\gls` (or `\glspl`), but there are some minor changes to entry definitions and command use to allow this dummy text to test various cases. By default `\gls` performs the indexing before the link text to prevent any unwanted interference caused by the `whatsit` introduced by the indexing. However, it's possible that you may want the indexing to occur after the link text, even though it creates a `whatsit`. This dummy text is designed to use a mixture of pre- and post-indexing to investigate the results (particularly with phrases spanning a page break). The `glossaries-extra` package (as from version 1.14) provides a new key `"wrgloss"` (for commands like `\gls`), which may take the values "before" or "after". If this key is available, it will be used for the post-indexing examples, otherwise the post-indexing will be performed manually using `\glsadd` after the link text (which is displayed using `\glshyperlink`). The `testidx-glossaries` package just loads the base `glossaries` package by default. Use the `extra` package option to also load `glossaries-extra`. The visual effects in this dummy text are provided to illustrate where the indexing occurs. The `testidx-glossaries` package doesn't attempt to produce a well-designed index or glossary. Its purpose is to help you test your chosen design, which is easier to do with a relatively small test document, than with a large book. The dummy text is intended to produce an index that is at least three pages long to allow you to test the page headers and footers in a two-sided document. The "mcolindexgroup" style is set by default (rather than the "list" style) as that style more closely represents the style used in indexes. If you use the `desc` option, the style will instead be set to "indexgroup". You can change the style using `\setglossarystyle`. By default the "tree" styles (including "mcolindexgroup") display the name field in bold in the glossary. This is governed by the command `\glstreenamfmt`, which may be redefined as appropriate. You can hide the visual effects with the `hidemarks` package option.

3. The actual place where the indexing occurs in this dummy text is marked with the symbol `\tstidxmarker` if there is no range or cross-reference. The `word` or `phrase` adjacent to this marker is the text being indexed.<sup>1</sup> A sub-entry is indicated with the symbol `\tstidxsubmarker` and a sub-sub-entry is indicated

---

<sup>1</sup>The indexing may occur before or after the word or phrase (link text) being indexed in this dummy text, but there's no space between the marker and the term being indexed. Incidentally, this footnote text was produced using the command `\tstidxfootnote`, which you can redefined as required. (It defaults to just `\footnote`.)

with the symbol `\tstidxsubsubmarker`). If an `encap` value is provided, both the `text` and the `marker` are typeset in the argument of the corresponding command. (The text occurring in the document is also typeset within the argument of `\tstidxtext`. The default value is to use a dark grey, but since the default values for the predefined encaps used in this text all change the colour, the dark grey will only apply where the `encap` hasn't been set.) There are three `encap` values used throughout this dummy text (unless you've used the `notestencaps` package option): `tstidxencapi`, `tstidxencapii` and `tstidxencapiii`. (The default values use `\textcolor`, so you might want to use the `hidelinks` option if you want to use the `hyperref` package.) If you use the `noseekey` package option, a cross-referenced entry (using `\glssee`) is identified using the marker `^` (`\tstidxseemarker`) and the cross-referenced information is displayed as a marginal note by default, with the term being indexed followed by the cross-reference. For example, `lyuk` has the marker `·` to show that the word "lyuk" was indexed. If the `noseekey` package option is set, this is followed by the marker `^` to show that a cross-reference to `digraph` has also been indexed (with the details shown in the margin). This document has used the `seekey` package option, which means that `\glssee` isn't used in the dummy text. Instead the "see" key provided in the entry definition was used to perform the cross-reference at the time the entry was defined, and so no markers or marginal notes are displayed. A sub-level cross-reference is identified with the marker `^` (`\tstidxsubseemarker`) and the marginal note displays the main term followed by the sub-term (separated by the symbol `▷`). The marker used for the start of a range is `|` (`\tstidxopenmarker`) and the marker used for the end of a range is `|` (`\tstidxclosemarker`) unless the entry is a sub-level, in which case the marker for the start of the range is `|` (`\tstidxopensubmarker`) and the marker used for the end of a range is `|` (`\tstidxclosesubmarker`); or for a sub-sub-level `|` (`\tstidxopensubsubmarker`) and `|` (`\tstidxclosesubsubmarker`). There are no tests for any further sub-levels. Although `xindy` allows more than three levels (`makeindex` doesn't), it's somewhat excessive to go below a sub-sub-level. You'll have to add your own tests for anything deeper. Watch out for lonely sub-items.

4. Here's an example of the start of a range but remember that a range must also have an end, so make sure that block 9 has been included in this dummy text, which closes this example. When the `verbose` option is used with just `testidx`, the indexing information will show the argument being passed to `\tstindex` (which will cause overfull lines). Since the `testidx-glossaries` package doesn't use `\tstindex`, the `verbose` package option will instead write information to the transcript file showing the label, name field, sort field, text field, parent field and see field for each entry as it's defined. (The parent and see fields may be empty). If the `tex` package option is used, the sorting may take a long time (since `TEX` is being used to sort the entries). In this case, the `verbose` package option will also write information while it's sorting the entries, so that you know `TEX` is still doing something and hasn't got stuck. This document has the `noverbose` package option set.

5. Now that the preliminaries have been dispensed with in the previous paragraphs, we can get on to some serious waffle to act as filler text because this really needs some padding in order to get a decent sized index with lots of locations. I did consider us-

ing just plain old `·lorem ipsum` (like the `lipsum` package), but it gets a bit boring after a while, and it's easier to check the indexing has been performed successfully if you can understand the text. Of course, this doesn't help those who don't know any English, but at least they're no worse off than they would have been with random gibberish, at least, I hope not. In other words, if I could just clarify what I'm trying to say here, in a confidential and not too roundabout fashion — between you, me and the gatepost — is please don't consider this to be an illustration of my stunning wit, eloquence and way with words because I'm shamelessly contravening the creative writing adage (or possibly motto) of `·cut to the chase, remove excessive verbiage and get to the point`. I shall take care to hide this drivel from my `·creative writing tutor` and fellow writers, so `·keep mum and don't grass on me` because that just won't be fair, and it might distress them to a certain extent. I shall not be assailed by indecision and will aspire to find the `·mot juste`. Where was I? Oh, yes, padding. I'm trying to make this paragraph quite long, not because I have any pretensions of being the next James Joyce, and competing with `Ulysses`, but because one of the things we need to check for is what happens with paragraphs that span a `·page break`. (If you're feeling particularly daring, try out the starred version of `\testidx`, although some of the blocks, such as `block 6`, have some sneaky paragraph breaks that won't be suppressed.) TeX's asynchronous `·output routine` can cause things to go a bit `·out of whack`, so lengthy paragraphs in this `example` document increase the chances of testing for these occurrences. Whether or not this particular paragraph actually spans a `·page break` does, of course, depend on various things including your document properties, such as the `·page dimensions`, `·font family` and `·font size`. If it turns out that this `paragraph` has spanned a `·page break`, you might want to check the terms indexed here to make sure they have the correct page numbers listed. Something else that you might want to check, while you're at it, is what's happened to the location list for the word "`paragraph`", as I've used different `encap` values for it in various places in this `example`: `paragraph`. If you are using `makeindex`, you might notice some warnings about `·multiple encaps`, and the `·page number` may be duplicated in the location list. If you are using `xindy`, then it will discard duplicate page numbers and give preference to the first defined attribute in whatever `xindy` module you're using. However, be careful if a `range` overlaps a different `encap`. Remember that there's a difference between an `index` and a `concordance`. If you just index pertinent places, there's less likelihood of conflicting encaps. This is the end of a `paragraph` that was written to deliberately upset `makeindex`. Mean, aren't I?

6. On the subject of `xindy`, if you want to use it with this `example` document, you'll need to add the `encap` values used in this `dummy text` as allowed attributes. (Don't forget you'll also need the `xindy` package option when you load `testidx-glossaries`.) With the `glossaries` package, this means using `\GlsAddXdyAttribute` with the `encap` name as the argument. For example

```
\GlsAddXdyAttribute{tstidxencapi}
\GlsAddXdyAttribute{tstidxencapii}
\GlsAddXdyAttribute{tstidxencapiii}
```

This sets up allowed `encap` values and how they should be formatted. The ordering of the allowed attributes here gives the `tstidxencapi` `encap` precedence in the

event of a multiple encaps clash, since it's the first one in the list. Check out the difference between using `xindy` and `makeindex` on this document. Also check the difference between using `makeglossaries` and `makeglossaries-lite` to build this document. The page separator is given by `\delimN`, and the range separator is given by `\delimR`. On the subject of location lists, the word `passim` (meaning “here and there”) is sometimes used to tidy up ragged lists. For example, the locations “1, 3, 4, 6, 7” may look neater as “1-7 `passim`”, which indicates references are scattered (here and there) throughout that range. The `bib2gls` application may be used with the `glossaries-extra` package instead of `makeindex` or `xindy`. Use the `bib2gls` package option to set up this dummy text to use it. Note that this option doesn't make use of the prefix commands `\tstidxindexmarkerprefix` or `\tstidxindexmathsymprefix`. The `prefix` package option will instead alter the way the bib files are loaded to produce a similar grouping.

7. Computer algorithms can sometimes have difficulties with localisation. They can be tripped up by input encoding issues and digraphs (such as the Welsh `ll` digraph in `llan`, the Dutch `ij` digraph in `lijnbus` and `ijsvrij`, and the `dz` digraph in the Hungarian `dzéta` and Polish `dzwon`) or trigraphs (such as the Hungarian `dzs` trigraph in `dzsóker` and `dzsungel`), so this paragraph is designed to provide some examples for testing various Latin alphabets. If you enable both UTF-8 (either with `inputenc` or using XeLaTeX/LuaLaTeX) and the `digraphs` option, then the examples above will use the “ll”, “ij” and “dz” glyphs (if supported) for the digraphs (but not for “dzs”, which is a trigraph). Remember that you'll also need a font that supports those glyphs. (If characters are missing from the above words, then they're not supported.) Other digraphs include the Welsh `dd`, `ff`, and `ng`, the Hungarian `ly` (in `lyuk` mentioned earlier) and the Polish `cz`, but these don't use glyphs in the sort value. Now for some more nonsense text to pad the index. We, the élite who discovered the aesthetic delights of  $\TeX$ , must not become blasé about being the protégé of the great Donald Knuth. It may stagger the clientèle of the commercial world to discover our résumé (after foraging for it in our natty `attaché` case) while we sample a `vol-au-vent` or two at the `soirée` in the `pied-à-terre` with the delightful phoenix-themed décor, daft oak dado rail and `færie` façade that has stunned many an `æthereal` `débutante` sporting a `bergère` hat, but it would be naïve to fall for such a `foetid` `cliché`. This paragraph is in a state of `déshabillé`. Like a sculpture of Venus in a `négligée`, it's transparently obvious that this paragraph is provided for the sole purpose of ogling extended Latin characters and testing how `xindy` and `makeindex` compare. Time for a quick trip to the `café` for an `anæmic` cup of tea (to recover from our travels) with Anders Jonas `Ångström` (but don't let it scald your `œsophagus`) and then off to find a zoo in `Östergötland`, so we can get to the end of the alphabet. (We may even see an adventurous `aardvark` or a lucky llama or a rhinoceros eating `rhubarb`.) Perhaps then we should go over to `Ångelholm` and head off across the `Øresund` bridge and resume our search for some more examples. We'll go on a `whistle-stop` tour around `Tårnby`, `Rødovre`, `Næstved` and `Ølstykke-Stenløse`. Afterwards, we'll fly to Poland (possibly in an aeroplane — if passengers would like to look out of their window, they'll see we're passing over `Aßlar` and `Bad Gottleuba-Berggießhübel`) and then we'll say “`cześć`.” to `Łódź`, and visit `Świętokrzyskie`, `Żory`, `Żelechów`, `Lobez`, `Głogów` (not to be confused with

Glasgow, Ćmielów, Ścinawa and Świdnica. Then let's sail to Iceland (possibly in a ship) and visit the lakes of Iceland, such as Ölfsvatn, Úlfsvatn, Ánavatn, Másvatn, Þríhyrningsvatn (that one starts with a thorn (þ)), Sigríðarstaðavatn (that one has an eth (ð)), Grænavatn, Árnslón and Íshólsvatn. If you are using this with `xindy` and UTF-8, try this out with a different language option, for example `-L swedish (xindy)` or `-L danish (xindy)` or `-L german-duden (xindy)` or `-L german-din5007 (xindy)` or `-L polish (xindy)` or `-L icelandic (xindy)`. If you want to use `makeindex` instead of `xindy`, then the package option `german` or `ngerman` will allow you to use `makeindex`'s `-g (makeindex)` option.

8. Don't forget there's also a number group, so let's have some numbers. *The Hitchhiker's Guide to the Galaxy* has of course propelled the number 42 to stardom, as the answer to life, the universe and everything. We usually deal in base 10, but sometimes base 16 is useful to programmers, and computers prefer base 2 (and 2 is the only even prime number). A century in cricket means 100 runs, and in the calendar 100 years. If you're using `xindy`, the "glsnumbers" letter group (with the title "Numbers") will automatically be added to your .xdy file unless you switch off this feature with the `noglsnumbers` package option. Whilst we're on the subject of numbers, let's try out some equations.

$$E = mc^2 \tag{1}$$

Since this document is using `amsmath`, let's try out the `align` environment:

$$f(\vec{x}) = \alpha \sum_i^n x_i + \beta \sum_i^n x_i^2 + \gamma \tag{2}$$

$$\frac{\partial f}{\partial x_j} = \alpha + 2\beta x_j \tag{3}$$

(Note how the subscripts and superscripts can be affected by material inserted between the symbol and the sub- and superscripts. With the `glossaries` package, this can be avoided by using the final optional argument of commands like `\gls` to bring the scripts into the link text, but not if the scripts also include `\gls`, as the superscript does here.) If this document hadn't loaded the `amsmath` package, we would have had to use the `eqnarray` environment instead. Incidentally, that's just a regular partial derivative symbol  $\partial$ . Not to be confused with the spin-weighted partial derivative [you need the `amssymb` package for that symbol]. Now I've been a bit fancy here and inserted > in front of the sort key so I can get `xindy` to create a special group for the maths symbols. Here's the code you can add to your document to implement it:

```
\GlsAddLetterGroup{Maths}{:prefixes (">") :before "glsnumbers"}
```

I've done something similar with the markers where I've used < as the prefix.

9. Let's re-cover old ground and talk about ranges again. This is the end of the range|example from block 4. There's not much else to say about this block really. It's quite boring, isn't it? However, you'll need it if you've included block 4. Unless

you're testing for a mis-matched range, of course. That might be quite interesting, possibly, but I'm not going to hold my breath.

10. Now this is going to be hard to believe — in fact I'm totally gobsmacked and utterly astounded — but I've discovered that we're still missing some letter groups, and I've run out of anything quaint to say, so I'm going to have to yatter for a while longer, which will probably make you yawn and fall asleep. What shall we talk about? My quirky badinage is about to expire. How about a story? Here's one I made up for my friend Paulo Cereda in T<sub>E</sub>X:SE chat because he likes ducks and is the creator of `arara`. So, are you sitting comfortably? Then let's begin. By the way, before I forget, it's called *Sir Quackalot and the Golden Arara*, and is the first story in *The Adventures of Sir Quackalot*. It's a tale of adventure and derring-do. The hero of the story is Sir Quackalot, in case you can't tell from the title. Once upon a time, a long time ago in a far away land, there lived a knight. He was handsome, he was bold, he was brave. He was — a duck. His name was Sir Quackalot. One day the Fairy Goose appeared. "Brave knight," she said. "A terrible plight has fallen on the land. The evil OgRe has stolen the Golden Arara. Only you can save it." (That's a reference to T<sub>E</sub>X's output routine, if you missed it.) "It will be a perilous quest, but find the Mighty Helm of Knuth and the Legendary Sword xor to aid you." (Ask David Carlisle about the xor reference.)

11. So Sir Quackalot set out on his quest. (This is the continuation from the previous block, for any newcomers who have just turned up.) He soon arrived at the Bog of Eternal Glossaries (that's a reference to my `glossaries` package, and it's also a nod to the Bog of Eternal Stench in *Labyrinth*), in the centre (or center for those of you across the pond) of which was suspended the Mighty Helm of Knuth, but Sir Quackalot was learned in the lore of installing Perl and was able to leap upon the magical raft `makeglossaries` and steer his way through the external-indexing applications and their many arguments. (That's supposed to be a pun, but it's bad form to explain the joke, and it wasn't even particularly witty. Incidentally, Joseph Wright makes a cameo at this point with the exclamation "fetchez la vache!" but you'll have to ask Paulo Cereda what that's all about. It wouldn't surprise me if it had something to do with Monty Python.)

12. Anyway, where were we? Oh, yes. He (that's Sir Quackalot, we're talking about, if you've only just joined us) snatched up the Mighty Helm of Knuth and escaped from the perilous bog. Soon he came to the Dread Vale of the Editors, guarded at either end by the ever-quarrelling leviathans Emacs and Vi. As he approached the vale, Emacs uttered the magic incantation that sent forth the butterflies of chaos. (I know "doom" is more appropriate but, as is common knowledge, chaos is a butterfly motif.)

13. But Sir Quackalot was protected by the Mighty Helm of Knuth and raced past into the vale, where he found the Legendary Sword xor in the centre of the great `longtable`. (Ooh, I've started a sentence with a conjunction. How naughty is that?) With a great leap and a bound, Sir Quackalot plucked out the sword and headed for the far end of the vale. Up pounced Vi and belched forth a myriad of clones that bore down on Sir Quackalot. But, brandishing the sword xor, Sir Quackalot sliced them down. (There's some repetition there, but hopefully no one's noticed. There's even more coming up in the next block.)

14. Sir Quackalot<sub>2</sub> escaped from the Dread Vale of the Editors and set off up the path that led to the evil Ogre's lair. As Sir Quackalot<sub>2</sub> approached, there was a fearful roar, and the Ogre pounced on Sir Quackalot<sub>2</sub>. The brave knight raised his powerful sword<sub>2</sub> xor and brought it down on the Ogre, destroying him. Sir Quackalot<sub>2</sub> rescued the Golden Arara and the land was once more restored to peace and harmony and paragraphs were able to span page breaks without fear. The End. Don't miss the next thrilling adventure: *Sir Quackalot and the Hyper Lake of Doom*<sub>2</sub>, where our seaborne intrepid hero meets a quixotic seal with a zither (a zealous fan of *The Third Man*<sub>2</sub>), a youthful sea lion with a magic yo-yo, and a wily wombat warrior with a laser-guided sealant gun. Can they defeat the villainous, zany zoologist sailing a xebec across the sea bearing canisters of xenon, xylem and xylene? Oh, zounds! He's ashore wearing a zoot suit and smoking a zucchini whilst playing a xylophone. As one anonymous reviewer said, it's as exhilarating as watching a yuppie eating a yule log soaked in yoghurt. Hmm, yummy — or yuck, depending on your tastes. Don't forget to check you have some chalk so we can write ddisgynedig and ddyrchafedig in Nghaerdydd<sub>2</sub> (over in Nghymru<sub>2</sub>) because I want a few more words with digraphs, and then we can take a ffotograff of Ffestiniog<sub>2</sub>.

15. Oh, did I tell you about the vice-president who was a Viking in a vignette? No? Well, I can't quite remember the story myself, but it had something to do with a vice admiral with a Victoria plum and a viceroy with a Victoria sponge, or was it vice versa? The vice chancellor preferred vichyssoise. For letter ordering use the `-l (makeindex)`<sub>2</sub> option with `makeindex`<sub>2</sub> or the `ord/letorder` module with `xindy`<sub>2</sub> (`-M ord/letorder (xindy)`<sub>2</sub>). If you omit this, the default word ordering is used. The ordering in the *Compact Oxford English Dictionary*<sub>2</sub> (third edition, revised) for these words are: vice admiral, vice chancellor, vice-president, viceregal, viceroy, vice versa. Quick quiz. Can you get `makeindex`<sub>2</sub> or `xindy`<sub>2</sub> to reproduce that order?

16. This is the final block of dummy text provided by the `testidx`<sub>2</sub> package. This block contains the close of a range that was started in block 1. Fun, wasn't it?

# Glossary

default

Ćmielów 5

ij 4

ijsvrij 4

Lobez 4

Łódź 4

Ścinawa 5

Świdnica 5

Świętokrzyskie 4

Żelechów 4

Żory 4

dz 4

dzéta 4

dzwon 4

łl 4

łlama 4

łlan 4

Markers

`](\tstidxclosemarker) 2`

`](\tstidxclosesubmarker) 2`

`](\tstidxclosesubsubmarker) 2`

`·(\tstidxmarker) 1`

`[(\tstidxopenmarker) 2`

`[(\tstidxopensubmarker) 2`

`[(\tstidxopensubsubmarker) 2`

`^(\tstidxseemarker) 2`

`~(\tstidxsubmarker) 1`

`~^(\tstidxsubseemarker) 2`

`~~(\tstidxsubsubmarker) 2`

Maths

$\alpha$  5

$\beta$  5

$\gamma$  5

$\partial$  5

$\sum$  5

Numbers

10 5

100 5

16 5

2 5

42 5

A

aardvark 4

across the pond 6

adage 3

adventure 6, 7

*Adventures of Sir Quackalot, The* 6

aeroplane 4

æsthetic 4

æthereal 4

align environment 5

alphabet 4

amsmath package 5

amssymb package 5

anæmic 4

anonymous reviewer 7

Aßlar 4

applications

arara 6

bib2gls 4

Emacs 6

makeglossaries 4, 6

makeglossaries-lite 4  
 makeindex 1-5, 7  
   -g 5  
   -l 7  
 Perl 6  
 texdoc 1  
 Vi 6  
 xindy 1-5, 7  
   -L danish 5  
   -L german-din5007 5  
   -L german-duden 5  
   -L icelandic 5  
   -L polish 5  
   -L swedish 5  
   -M ord/letorder 7

arara 6  
 argument 2  
 ashore 7  
 asleep 6  
 aspire 3  
 assailed 3  
 astounded 6  
 attaché case 4  
 attributes 3

B

bad form 6  
 Bad Gottleuba-Berggießhübel 4  
 badinage 6  
 begin 6  
 bergère hat 4  
 between you, me and the gatepost 3  
 bib2gls 4  
 blasé 4  
 block 2, 3, 5-7  
 bog 6  
 Bog of Eternal Glossaries, the 6  
 Bog of Eternal Stench, the 6  
 bold 6  
 book 1  
 books  
   *Adventures of Sir Quackalot, The* 6  
   *Compact Oxford English Dictionary*  
     7

*Hitchhiker's Guide to the Galaxy, The*  
   5  
*Sir Quackalot and the Golden Arara* 6  
*Sir Quackalot and the Hyper Lake of*  
   Doom 7  
*Ulysses* 3

bound 6  
 brave 6  
 butterflies of chaos, the 6  
 butterfly 6

C

café 4  
 calendar 5  
 cameo 6  
 Carlisle, David 6  
 center 6  
 centre 6  
 century 5  
 Cereda, Paulo 6  
 chalk 7  
 chaos 6  
 check 7  
 clarify 3  
 cliché 4  
 clientèle 4  
 clones 6  
 commercial world, the 4  
 common knowledge 6  
*Compact Oxford English Dictionary* 7  
 concordance 3  
 confidential 3  
 conjunction 6  
 continuation 6  
 creative writing 3  
 cricket 5  
 cross-reference 1, 2  
 cup of tea 4  
 cut to the chase 3  
 cz 4  
 cześć 4

D

ě see eth (ě)

dado rail 4  
 daft 4  
 dd 4  
 ddisgynedig 7  
 ddyrchafedig 7  
 débutante 4  
 décor 4  
 \delimN 4  
 \delimR 4  
 derring-do 6  
 déshabillé 4  
 design 1  
 digraph 2, 4, 7  
 distress 3  
 document 1  
     properties 3  
 doom 6  
 Dread Vale of the Editors, the 6, 7  
 drivel 3  
 duck 6  
 dummy text 1, 2, 3  
 dzs 4  
 dzsóker 4  
 dzsungel 4, *see also* trigraph

## E

*E* 5  
 élite 4  
 eloquence 3  
 Emacs 6  
 encap 2, 3  
     tstidxencapi 2, 3  
     tstidxencapii 2  
     tstidxencapiii 2  
 End, The 7  
 eqnarray environment 5  
 eth (ð) 5  
 even 5  
 example 1, 2, 3, 5  
 excessive 2  
 exclamation 6  
 exhilarating 7  
 expire 6  
 extended Latin characters 4  
 external 6

## F

$f(\vec{x})$  5  
 façade 4  
 færie 4  
 Fairy Goose, the 6  
 fan 7  
 far away land, a 6  
 fashion 3  
 fear 7  
 ff 4  
 Ffestiniog 7  
 ffotograff 7  
 filler 1, 2  
 films  
     *Labyrinth* 6  
     *Third Man, The* 7  
 fly 4  
 foetid 4  
 font family 3  
 font size 3  
 fontenc package *see also* inputenc  
 footnote 1  
 forget 6

## G

-g (makeindex) 5  
 gawping *see* ogling  
 get to the point 3  
 gibberish 3  
 Glasgow 5  
 glossaries package 1, 3, 5, 6  
 glossaries-extra package 1, 4  
 glossary 1  
 \gls 1, 5  
 \glsadd 1  
 \GlsAddXdyAttribute 3  
 \gls hyperlink 1  
 \glspl 1  
 \glssee 2  
 \glstreenamfmt 1  
 glyph 4  
 gobbledegook *see* gibberish  
 gobsmacked 6  
 Golden Arara, the 6, 7

Głogów 4  
 Grænavatn 5  
 grass 3

H

handsome 6  
 harmony 7  
 hero 6  
     intrepid *see* intrepid hero  
*Hitchhiker's Guide to the Galaxy, The* 5  
 hold my breath 6  
 hyperref package 2  
     hidelinks 2

I

Iceland 5  
 illustration 3, *see also* example  
 \index 1, 2, 3  
 indexing application 1, 6  
 input encoding 4  
 inputenc package 4  
 intrepid hero 7

J

joke 6  
 Joyce, James 3

K

keep mum 3, *see also* confidential  
 knight 6, 7  
 Knuth, Donald 4

L

-l (makeindex) 7  
 -L danish (xindy) 5  
 -L german-din5007 (xindy) 5  
 -L german-duden (xindy) 5  
 -L icelandic (xindy) 5  
 -L polish (xindy) 5  
 -L swedish (xindy) 5  
*Labyrinth* 6  
 lair 7  
 land 6, 7

laser-guided 7  
 layout 1  
 leap 6  
 Legendary Sword, the 6  
 letter groups 6  
 letter ordering 7  
 leviathans 6  
 life 5  
 link text 1, 5  
 lipsum package 3  
 localisation 4  
 location list 3, *see also* cross-reference  
     page separator 4  
     range separator 4  
 longtable package 6  
 lore 6  
 lorem ipsum 3  
 lijnbus 4  
 ly 4  
 lyuk 2, 4, *see also* digraph

M

-M ord/letorder (xindy) 7  
 magic 7  
 magic incantation 6  
 magical 6  
 makeglossaries 4, 6  
 makeglossaries-lite 4  
 makeindex 1-5, 7  
     -g 5  
     -l 7  
 marginal note 2  
 marker 1, 2, 5  
 Mighty Helm of Knuth, the 6  
 Másvatn 5  
 Monty Python 6  
 mot juste 3  
 motif 6  
 motto 3  
 multiple encaps 3, 4  
 myriad 6

N

n 5

Næstved 4  
 naïve 4  
 name 6  
 naughty 6  
 négligée 4  
 newcomers 6  
 ng 4  
 Nghaerdydd 7  
 Nghymru 7  
 nod 6  
 nonsense 4  
 number group 5

O

oak 4  
 Ánavatn 5  
 Árneslón 5  
 Ängelholm 4  
 Ängström, Anders Jonas 4  
 Íshólsvatn 5  
 œsophagus 4  
 Ølstykke-Stenløse 4  
 Øresund 4  
 Úlfsvatn 5  
 ogling 4  
 OgRe 6, 7  
 Ölvesvatn 5  
 Once upon a time 6  
 Ooh 6  
 Östergötland 4  
 out of whack 3  
 output routine 3, 6  
 overfull lines 2

P

packages
 

- amsmath 5
- amssymb 5
- glossaries 1, 3, 5, 6
- glossaries-extra 1, 4
- hyperref 2
- hidelinks 2
- inputenc 4
- lipsum 3

longtable 6  
 testidx 1-7
 

- digraphs 4
- german 5
- hidemarks 1
- ngerman 5
- notestencaps 2
- prefix 4
- verbose 2

 testidx-glossaries 1-3
 

- bib2gls 4
- desc 1
- extra 1
- noglsnumbers 5
- noseekey 2
- noverbose 2
- seekey 2
- tex 2
- verbose 2
- xindy 3

padding 2, 3, *see also* filler  
 page break 1, 3, 7  
 page dimensions 3  
 page number 3  
 paragraph 2, 3, 4, 7  
 passim 4  
 peace 7  
 people
 

- Carlisle, David 6
- Cereda, Paulo 6
- Fairy Goose, the 6
- Joyce, James 3
- Knuth, Donald 4
- Ängström, Anders Jonas 4
- Quackalot, Sir 6, 7
- Wright, Joseph 6

perilous 6  
 Perl 6  
 phoenix 4  
 phrase 1  
 pied-à-terre 4  
 places
 

- Aßlar 4
- Bad Gottleuba-Berggießhübel 4
- Bog of Eternal Stench, the 6
- Ffestiniog 7

Glasgow 5  
 Głogów 4  
 Grænavatn 5  
 Iceland 5  
 Mátvatn 5  
 Næstved 4  
 Nghaerdydd 7  
 Nghymru 7  
 Ánavatn 5  
 Árneslón 5  
 Ängelholm 4  
 Íshólsvatn 5  
 Ølstykke-Stenløse 4  
 Øresund 4  
 Úlfsvatn 5  
 Ölvesvatn 5  
 Östergötland 4  
 Ćmielów 5  
 Łobez 4  
 Łódź 4  
 Ścinawa 5  
 Świdnica 5  
 Świętokrzyskie 4  
 Żelechów 4  
 Żory 4  
 Poland 4  
 Rødovre 4  
 Sigríðarstaðavatn 5  
 Tårnby 4  
 Þríhyrningsvatn 5  
 plight 6  
 Poland 4  
 predefined 2  
 prefix 5  
 prime number 5  
 protégé 4  
 pun 6  
 purpose 1

Q

Quackalot, Sir 6, 7  
 quaint 6  
 quest 6  
 quirky 6  
 quixotic 7

quiz 7

R

raft 6  
 range 1–5, 3, 7  
 range separator *see* location list  
 recover 4  
 re-cover 5  
 reference 6  
 repetition 6  
 resume 4  
 résumé 4  
 rhinoceros 4  
 rhubarb 4  
 roar 7  
 Rødovre 4  
 roundabout 3

S

sail 5  
 sculpture 4  
 sea 7  
 sea lion 7  
 seaborne 7  
 seal 7  
 sealant gun 7  
 sentence 6  
 \setglossarystyle 1  
 ship 5  
 Sigríðarstaðavatn 5  
*Sir Quackalot and the Golden Arara* 6  
*Sir Quackalot and the Hyper Lake of Doom*  
 7  
 soirée 4  
 span 7  
 story 6, 7  
 sub-items  
     lonely 2  
 sword 6, 7

T

tale 6  
 test 1  
 \testidx 1, 3

testidx package 1-7  
     digraphs 4  
     german 5  
     hidemarks 1  
     ngerman 5  
     notestencaps 2  
     prefix 4  
     verbose 2  
 testidx-glossaries package 1-3  
     bib2gls 4  
     desc 1  
     extra 1  
     noglsnumbers 5  
     noseekey 2  
     noverbose 2  
     seekey 2  
     tex 2  
     verbose 2  
     xindy 3  
 T<sub>E</sub>X 3, 4, 6  
 texdoc 1  
 text 2  
 \textcolor 2  
 theindex environment 1  
*Third Man, The* 7  
 thorn (þ) 5  
 thrilling 7  
 title 6  
 Tårnby 4  
 trigraph 4  
 tstidxencapi (\tstidxencapi) 2, 3  
 tstidxencapii (\tstidxencapii) 2  
 tstidxencapiii (\tstidxencapiii)  
     2  
 \tstidxfootnote 1  
 \tstidxindexmarkerprefix 4  
 \tstidxindexmathsymprefix 4  
 \tstidxtext 2  
 \tstidxtoidx 1  
 \tstindex 2  
 tutor 3  
 two 4  
  
 U  
*Ulysses* 3  
  
 universe 5  
 UTF-8 5  
  
 V  
  
 vale 6  
 Venus 4  
 verbiage 3  
 Vi 6  
 vice admiral 7  
 vice chancellor 7  
 vice versa 7  
 vice-president 7  
 viceregal 7  
 viceroy 7  
 vichyssoise 7  
 Victoria plum 7  
 Victoria sponge 7  
 vignette 7  
 Viking 7  
 villainous 7  
 visual effects 1  
 vol-au-vent 4  
  
 W  
  
 waffle 2  
 warrior 7  
 way with words 3  
 whatsit 1  
 whistle-stop tour 4  
 wily 7  
 window 4  
 wit 3  
 witty 6  
 wombat 7  
 word 1  
 word ordering 7  
 Wright, Joseph 6  
  
 X  
  
 xebec 7  
 xenon 7  
 xindy 1-5, 7  
     -L danish 5  
     -L german-din5007 5

-L german-duden 5  
-L icelandic 5  
-L polish 5  
-L swedish 5  
-M ord/letorder 7

xor 6,7  
xylem 7  
xylene 7  
xylophone 7

Y

yatter 6  
yawn 6  
yoghurt 7  
youthful 7  
yo-yo 7  
yuck 7

yule log 7  
yummy 7  
yuppie 7

Z

zany 7  
zealous 7  
zither 7  
zoo 4  
zoologist 7  
zoot suit 7  
zounds 7  
zucchini 7

þ

þ see thorn (þ)  
Þríhyrningsvatn 5