

Package `mathfont` v. 2.0 User Guide

Conrad Kosowsky

December 2021

`kosowsky.latex@gmail.com`

For easy, off-the-shelf use, type the following in your preamble and compile with \XeTeX or \LuaTeX :

```
\usepackage[(font name)]{mathfont}
```

As of version 2.0, using \LuaTeX is recommended.

Overview

The `mathfont` package adapts unicode text fonts for math mode. The package allows the user to specify a default unicode font for different classes of math symbols, and it provides tools to change the font locally for math alphabet characters. When typesetting with \LuaTeX , `mathfont` adds resizable delimiters, big operators, and a `MathConstants` table to text fonts.

Handling fonts in \TeX and \LaTeX is a notoriously difficult task because fonts are complicated objects.¹ The `mathfont` package loads TrueType and OpenType fonts for use in math mode, and this document explains the package’s user-level commands. For version history and code implementation, see `mathfont_code.pdf`, and for a list of all symbols accessible with `mathfont`, see `mathfont_symbol_list.pdf`. The `mathfont` installation also includes four example files, and all `mathfont` pdf documentation files are available on CTAN.

1 Loading and Basic Functionality

Loading fonts for math typesetting is more complicated than for regular text. First, the commands to select fonts for math mode, both in plain \TeX and in the NFSS, are more complicated than the macros to select text fonts, and second, \TeX expects fonts for math to contain extra information that it uses to format equations.² Broadly speaking, we say that a

Acknowledgements: Thanks to Lyric Bingham for her work checking my unicode hex values. Thanks to Herbert Voss and Andreas Zidak for pointing out bugs in previous versions of `mathfont`. Thanks to Jean-François Burnol for pointing out an error in the documentation in reference to their `mathastext` package.

¹The last 30 years have seen huge advances in loading fonts with \TeX . Donald Knuth originally designed \TeX to load fonts created with Metafont, and only more recent engines such as Jonathan Kew’s \XeTeX and Hans Hagen, et al.’s \LuaTeX have extended \TeX ’s font-loading capabilities to unicode. \XeTeX supports OpenType and TrueType fonts natively, and \LuaTeX can load OpenType fonts through the `luaotfload` package. Information on \XeTeX is available at <https://tug.org/xetex/>, and information on \LuaTeX is available at the official website for \LuaTeX : <http://www.luatex.org/>. See also Ulrike Fischer, et al., “`luaotfload`—OpenType ‘loader’ for Plain \TeX and \LaTeX ,” <https://ctan.org/pkg/luaotfload>.

²Specifically, this extra information is a set of large variants, math-specific parameter values associated with individual characters, and a `MathConstants` table. Also, math fonts often use slightly wider bounding

math font contains this extra information, whereas a *text font* does not, and typesetting math with glyphs from one or more text fonts usually results in equations that are less aesthetically pleasing than using a properly prepared math font. The functionality of `mathfont` then is twofold: (1) provide a wrapper around the NFSS commands for math typesetting that serves as a high-level interface; and (2) implement Lua \TeX callbacks that artificially convert text fonts into math fonts at loading.³ Please note that `mathfont` tries its best to get your fonts right, but if you run into trouble loading the correct font files, you should declare your font family and shapes in the NFSS before setting any fonts with `mathfont`. Because unicode text fonts greatly outnumber unicode math fonts, I hope that my package will expand the set of fonts available for typesetting math in \LaTeX .

You must use one of X \LaTeX or Lua \LaTeX to typeset a document with `mathfont`. You can load `mathfont` with the standard `\usepackage{mathfont}` syntax, and the package accepts three optional arguments. If you use Lua \TeX , the options `adjust` or `no-adjust` will manually specify whether `mathfont` should adapt text fonts for math mode, and `mathfont` selects `adjust` by default. If you use X \LaTeX , `mathfont` cannot adjust any font objects with Lua callbacks, and either of these package options will cause an error.⁴ For this reason, using Lua \TeX with `mathfont` is recommended as of version 2.0. If you load `mathfont` with any other optional argument, the package will interpret it as a font name and call `\setfont` (described in the next section) on your argument. Doing so selects that font for the text of your document and for the character classes in the upper section of Table 1.

The `mathfont` package is closely related to several other \LaTeX packages. The functionality is closest to that of `mathspec` by Andrew Gilbert Moschou, which is compatible with X \LaTeX only and selects characters from text fonts for math.⁵ The `unicode-math` package is the standard \LaTeX package for loading actual unicode math fonts, and if you have a unicode font with proper math support, rather than a text font that you want to use for equations, consider using this package instead of `mathfont`.⁶ Users who want to a text font for math with pdf \LaTeX should consider Jean-François Burnol’s `mathastext` because `mathfont` is incompatible with pdf \TeX .⁷ Finally, you will probably be better off using `fontspec` if your document does

boxes for letters in math mode—the Computer Modern *f* is a famous example. For this reason, `mathfont` also provides an interface to enlarge the bounding boxes of Latin letters when they appear in math mode. See section 4 for details.

³Values for `MathConstants` table are different from but inspired by Ulrik Vieth, “Understanding the Aesthetics of Math Typesetting,” (Bacho \TeX Conference, 2008) and Ulrik Vieth “OpenType Math Illuminated,” *TUGboat* 30 (2009): 22–31. See also Bogusław Jackowski, “Appendix G Illuminated,” *TUGboat* 27 (2006): 83–90.

⁴In particular, with X \LaTeX `mathfont` does not add big operators or resizable delimiters. This means you will have to use the Computer Modern defaults, load a separate math font for resizable characters, or end up with a document where large operators and delimiters do not scale like they do normally.

⁵Andrew Gilbert Moschou, “`mathspec`—Specify arbitrary fonts for mathematics in X \LaTeX ,” <https://ctan.org/pkg/mathspec>.

⁶Will Robertson, et al., “`unicode-math`—Unicode mathematics support for Xe \TeX and Lua \TeX ,” <https://ctan.org/pkg/unicode-math>.

⁷Jean-François Burnol, “`mathastext`—Use the text font in maths mode,” <https://ctan.org/pkg/mathastext>. In several previous versions of this documentation, I mischaracterized the approach of `mathastext` to \TeX ’s internal mathematics spacing. In fact, `mathastext` preserves and in some cases extends rules for space between various math-mode characters.

Table 1: Character Classes

Keyword	Meaning	Default Shape	Alphabetic?
<code>upper</code>	Upper-Case Latin	Italic	Yes
<code>lower</code>	Lower-Case Latin	Italic	Yes
<code>diacritics</code>	Diacritics	Upright	Yes
<code>greekupper</code>	Upper-Case Greek	Upright	Yes
<code>greeklower</code>	Lower-Case Greek	Italic	Yes
<code>digits</code>	Arabic Numerals	Upright	Yes
<code>operator</code>	Operator Font	Upright	Yes
<code>delimiters</code>	Delimiter	Upright	No
<code>radical</code>	Square Root Symbol	Upright	No
<code>symbols</code>	Basic Math Symbols	Upright	No
<code>bigops</code>	Big Operators	Upright	No
<code>agreekupper</code>	Upper-Case Ancient Greek	Upright	Yes
<code>agreeklower</code>	Lower-Case Ancient Greek	Italic	Yes
<code>cyrillicupper</code>	Upper-Case Cyrillic	Upright	Yes
<code>cyrilliclower</code>	Lower-Case Cyrillic	Italic	Yes
<code>hebrew</code>	Hebrew	Upright	Yes
<code>extsymbols</code>	Extended Math Symbols	Upright	No
<code>arrows</code>	Arrows	Upright	No
<code>extbigops</code>	Extended Big Operators	Upright	No
<code>bb</code>	Blackboard Bold (double-struck)	Upright	No
<code>cal</code>	Caligraphic	Upright	No
<code>frak</code>	Fraktur	Upright	No
<code>bcal</code>	Bold Caligraphic	Upright	No
<code>bfrak</code>	Bold Fraktur	Upright	No

not contain any math.⁸ The `fontspec` package is designed to load TrueType and OpenType fonts for text and provides a high-level interface for selecting OpenType font features.

2 Setting the Default Font

The `\mathfont` command sets the default font for certain classes of characters when they appear in math mode. It accepts a single mandatory argument, which should be a system font name or a family name already present in the NFSS. The macro also accepts an optional argument, which should be a comma-separated list of keywords from Table , as in

$$\backslash\mathfont[\langle keywords \rangle]{\langle font name \rangle},$$

and `mathfont` sets the default font face for every character in those keywords to an upright or italic version of the font from the mandatory argument. See `mathfont_symbol_list.pdf`

⁸Will Robertson and Khaled Hosny, “fontspec—Advanced font selection in X_gLaTeX and LuaLaTeX,” <https://ctan.org/pkg/fontspec>.

Table 2: Commands Defined by `\setfont`

Command	Series	Shape
<code>\mathrm</code>	Medium	Upright
<code>\mathit</code>	Medium	Italic
<code>\mathbf</code>	Bold	Upright
<code>\mathbfi</code>	Bold	Italic
<code>\mathsc</code>	Medium	Small Caps
<code>\mathscit</code>	Medium	Italic Small Caps
<code>\mathbfsc</code>	Bold	Small Caps
<code>\mathbfscit</code>	Bold	Italic Small Caps

for a list of symbols corresponding to each keyword. If you do not include an optional argument, `\mathfont` acts on all keywords in the upper section of Table 1 (but not including `delimiters`, `radical`, or `bigops` characters in $X_{\text{q}}\text{T}_{\text{E}}\text{X}$), so calling `\mathfont` with no optional argument is a fast way to change the font for most common math characters. To change the shape, you should say “=`upright`” or “=`italic`” immediately after the keyword and before the following comma, and spaces are allowed throughout the optional argument. For example, the command

```
\mathfont[lower=upright, upper=upright]{Times New Roman}
```

changes all Latin letters to upright Times New Roman. Know that once `mathfont` has set the default font for a keyword in Table 1, it will ignore any future instructions to do so and prints a warning to the terminal instead.

If you want to change the font for your entire document at once, you should use `\setfont` instead of `\mathfont`. This command accepts a single mandatory argument:

```
\setfont{<font name>}
```

It calls `\mathfont` without an optional argument—i.e. for the default keywords—on your `` and sets your document’s default text font to be the ``. The command also defines the eight commands in Table using the `` and the `\new` macros in the next section. Both `\mathfont` and `\setfont` should appear in the preamble only.

To select OpenType features, you should put a colon after the font name and follow it with appropriate OpenType tags. For example adding “`onum=true`” tells $\text{T}_{\text{E}}\text{X}$ to load your font with oldstyle numbering, assuming that feature is present in the font.⁹ Whenever you declare any font setting, such as calling `\mathfont`, the package uses its own fontloader unless you have loaded `fontspec`. In that case, `mathfont` feeds your argument directly to `fontspec`, and if you previously set any font with `fontspec`, you can say `\mathfont{fontspec}` to call `\mathfont` with the most recent font used by `fontspec`. I don’t recommend using `fontspec` indirectly like this unless you know what you’re doing because $\text{L}_{\text{u}}\text{T}_{\text{E}}\text{X}$ ’s default font-loading settings are optimized for text fonts, and you may not see any OpenType font

⁹By default, `mathfont` enables standard ligatures, traditional $\text{T}_{\text{E}}\text{X}$ ligatures, and lining numbers. The package sets `smcp` to `true` or `false` depending on whether it is attempting to load a small-caps font. For the full list of OpenType features, see <https://docs.microsoft.com/en-us/typography/opentype/spec/featurelist>.

features in math mode as a result.¹⁰

The last five keywords in Table are a bit different. If you call `\mathfont` on a $\langle keyword \rangle$ from the last five rows in Table , the package defines the macro

$$\backslash\math\langle keyword \rangle\{\langle text \rangle\}$$

to typeset them. For example,

$$\backslash\mathfont[\text{bb}]{\text{STIXGeneral}}$$

sets STIXGeneral as the font for bold calligraphic characters and defines `\mathbb` to access them. The argument of `\mathbb` should contain only digits and Latin letters, and for the other four keywords, the argument of `\math\langle keyword \rangle` should contain only Latin letters. \TeX will ignore and issue a warning in response to any other characters in the argument of these macros.

3 Local Font Changes

With `mathfont`, it is possible to create commands that locally change the font for math alphabet characters, i.e. those marked as alphabetic in Table . The eight commands in Table accept a $\langle control\ sequence \rangle$ as their first mandatory argument and a $\langle font\ name \rangle$ as the second, and they define the $\langle control\ sequence \rangle$ to typeset any math alphabet characters in their argument into the $\langle font\ name \rangle$. For example, the macro `\newmathrm` looks like

$$\backslash\newmathrm\{\langle control\ sequence \rangle\}\{\langle font\ name \rangle\}.$$

It defines the $\langle control\ sequence \rangle$ in its first argument to accept a string of characters that it then converts to the $\langle font\ name \rangle$ in the second argument with upright shape and medium weight. Writing

$$\backslash\newmathrm\{\backslash\matharial\}\{\text{Arial}\}$$

creates the macro

$$\backslash\matharial\{\langle argument \rangle\},$$

which can be used only in math mode and which converts the math alphabet characters in its $\langle argument \rangle$ into the Arial font with upright shape and medium weight. The other commands in Table function in the same way except that they select different series or shape values. Finally, know that if the user specifies the font for Greek letters using `\mathfont`, macros created with the commands from this section will affect those characters, unlike in traditional \LaTeX . Similarly, the local font-change commands will affect Cyrillic and Hebrew characters after the user calls `\mathfont` for those keywords.

¹⁰The default `luaotfload` (and `fontspec`) setting is `mode=node`, but `mathfont` uses `mode=base`. The `node` setting allows users to enable more OpenType font features in text but prevents any OpenType features from showing up in math mode. On the other hand, `base` supports fewer OpenType features but enables them in math mode. This point may seem technical, but it can be very relevant. For example, `Cormorant`, used in one of the `mathfont` example pdf files, uses `oldstyle` numbers by default but includes `lining` numbers as a separate OpenType feature. (Oldstyle numbers can work well in text, but lining numbers are a much better default for math.) Loading `Cormorant` with `mode=node` means that the numbers in math mode will be `oldstyle`, even if you say `lnum=true`, so `base` mode is necessary here. Like I said, fonts are complicated.

Table 3: Macros to Create Local Font-Change Commands

Command	Series	Shape
<code>\newmathrm</code>	Medium	Upright
<code>\newmathit</code>	Medium	Italic
<code>\newmathbf</code>	Bold	Upright
<code>\newmathbfit</code>	Bold	Italic
<code>\newmathsc</code>	Medium	Small Caps
<code>\newmathscit</code>	Medium	Italic Small Caps
<code>\newmathbfsc</code>	Bold	Small Caps
<code>\newmathbfscit</code>	Bold	Italic Small Caps

Together these eight commands will provide users with tools for most local font changes, but they won't be able to address everything. Accordingly, `mathfont` provides the more general `\newmathfontcommand` macro. Its structure is

$$\backslash\text{newmathfontcommand}\langle\textit{control sequence}\rangle\{\langle\textit{font name}\rangle\}\{\langle\textit{series}\rangle\}\{\langle\textit{shape}\rangle\},$$

where the $\langle\textit{control sequence}\rangle$ in the first argument again becomes the macro that changes characters to the $\langle\textit{font name}\rangle$. You are welcome to use a system font name with `\newmathfontcommand`, but the intention behind this command is that you can use an NFSS family name for the $\langle\textit{font name}\rangle$. The series and shape values will then correspond to more obscure font faces from the NFSS family that you would be otherwise unable to access. The commands from Table as well as `\newmathfontcommand` should appear in the preamble only.

4 Lua Font Adjustments

The `mathfont` package provides six user-level commands to change positioning of characters in math mode. The commands `\CharmLine` and `\CharmFile` affect specific to various characters. (Charm stands for “character metric.”) The argument of `\CharmLine` should be a list of integers and/or asterisks separated by commas and/or spaces, and Table shows how many integers you need for different types of characters. The first integer from the argument should be a unicode encoding number, and that tells `mathfont` how to handle the remaining values.

- If the unicode value corresponds to a Latin letter, the next two integers tell LuaTeX how much to stretch the left and right sides of the glyph's bounding box when it ap-

Table 4: Number of Integers Required in `\CharmLine`

Type of Character	Total Number of Entries
Latin Letters	5
Delimiters, Radical Sign (Surd Character), Big Operators	33
Everything Else	3

Table 5: Commands to Adjust Individual Characters

Command	Default Value	What It Does
<code>\RuleThicknessFactor</code>	1000	Thickness of fraction rule and radical overbar
<code>\IntegralItalicFactor</code>	400	Positioning of limits for integrals
<code>\SurdVerticalFactor</code>	1000	Vertical positioning of radical overbar
<code>\SurdHorizontalFactor</code>	1000	Horizontal positioning of radical overbar

pears in math mode. The final two integers determine horizontal placement of top and bottom math accents respectively.

- If the unicode value corresponds to a delimiter, the radical (surd) symbol, or a big operator, you will need to specify 16 pairs numbers, for a total of 32 entries. The first 15 pairs are horizontal and vertical scale factors that `mathfont` uses to create large variants, where successive pairs correspond to the next-larger glyph. The last two integers determine horizontal placement of top and bottom math accents respectively.
- If the unicode value corresponds to any other symbol, you should specify two more integers, which will determine the horizontal placement of top and bottom math accents respectively.

Writing an asterisk tells `mathfont` to use whatever value it has saved in memory, either the default value or the value from the most recent call to `\CharmLine` or `\CharmFile`. If you specify too few charm values, `mathfont` will raise an error, but if you provide too many, `mathfont` will silently ignore the extras.

For most applications, you can probably ignore charm information altogether, but if you find bounding boxes or accent placement to be off slightly or if you want to change the scaling for a delimiter or big operator, you should try calling `\CharmLine` with different values to see what works. As is typical with decimal inputs in TeX, `mathfont` divides your inputs by 1000 before computing with them. Positive integers mean “increase,” and negative integers mean “decrease.” For a given character, the scale is usually the glyph width. For example,

```
\CharmLine{97, 200, -200, *, 50}
```

tells `mathfont` to take the lower-case “a” (unicode encoding value of 97), increase the bounding box on the left side by 20% of the glyph width, decrease the bounding box on the right side by 20% of the glyph width, do nothing to the top accent, and shift the bottom accent right by 5% of the glyph width. There is no general formula for what charm values to use for a given font! Rather, you will need to make a design choice based on what looks best, and if you regularly use a particular font, consider making a custom set of charm values uploading it to CTAN. Additionally, if you store your charm information in a file, you can read it in with `\CharmFile`. The argument of this command should be a file name, and `mathfont` reads the file and feeds each line individually to `\CharmLine`.

The commands in Table adjust other aspects of the font as indicated. Each command accepts a single integer as an argument, and `mathfont` once again divides the input by 1000. With each of these macros, `mathfont` multiplies the quotient by some default length, so values greater than or less than 1000 mean “scale up” or “scale down” respectively. For example,

```
\RuleThicknessFactor{2000}
```

Table 6: Lua Callbacks Created by `mathfont`

Callback Name	What It Does By Default
<code>"mathfont.inspect_font"</code>	Nothing
<code>"mathfont.pre_adjust"</code>	Nothing
<code>"mathfont.disable_nomath"</code>	Tell LuaTeX that we have a math font
<code>"mathfont.add_math_constants"</code>	Create a MathConstants table
<code>"mathfont.fix_character_metrics"</code>	Adjust bounding boxes, add character-specific math fields, create large variants
<code>"mathfont.post_adjust"</code>	Nothing

doubles the thickness of the fraction rule and radical overbar relative to the default, which varies between fonts. Changing the `\RuleThicknessFactor` is useful for fonts with particularly heavy or light weight, and the `\IntegralItalicFactor` is important for making limits better fit integral signs, and the `\SurdVerticalFactor` and `\SurdHorizontalFactor` commands are essential when the top of the surd glyph differs from the top of its bounding box. The six control sequences from this section should appear in the preamble only.

Finally, advanced users who want to interact with the font adjustment process directly should use the six callbacks in Table . When LuaTeX loads a font, `mathfont` (1) always calls `mathfont.inspect_font` and (2) calls the other five callbacks in the order that they appear in Table if the font object contains `nomath=true`. Functions added to these callbacks should accept a font object as a single argument and return nothing. Further, please be careful when loading functions in the `disable_nomath`, `add_math_constants`, and `fix_character_metrics` callbacks. If you add a function there, LuaTeX will not carry out the default behavior associated with the callback, so do not mess with these three callbacks unless you are duplicating the default behavior of the callback or you really know what you're doing. Otherwise, you risk breaking the package. See `mathfont_code.pdf` for more information.

5 Default Math Parameters

LuaTeX uses the MathConstants table from the most recent font assigned for use in math mode, and this means that in a document with multiple math fonts, the choice of MathConstants table can depend on the order of font declaration and be unpredictable. To avoid potential problems from using the wrong MathConstants table, `mathfont` provides the command

```
\mathconstantsfont{⟨prev arg⟩},
```

where `⟨prev arg⟩` should be any argument that you have previously fed to `\mathfont`. When you call `\mathconstantsfont`, `mathfont` forces LuaTeX to always use the MathConstants table from the font that corresponded to that instance of `\mathfont`. You don't need to worry about MathConstants when you use `\setfont` because the package calls `\mathconstantsfont` automatically when you use `\setfont`. This command should appear in the preamble only.